



- ◆ Watts: 500W / 750W / 1000W / 1250 / 1500W;
- ◆ Each module is made of 96pcs 5050 LED chips. This design can ensure lifespan of LED chips;
- ◆ High light efficiency: 150lm/W;
- ◆ Good CRI & anti-glare ability;
- ◆ Scale heat sink + die-cast heat dissipation board to ensure sufficient heat dissipation;
- ◆ The heat sink is hollowed out to increase air convection and heat dissipation speed;
- ◆ The space between driver and heat sink can increase lifespan of power supply;
- ◆ Beam Angles: 8°/20°/40°/60°/49*21°;
- ◆ Convenient & safe installation: 5mm adjustable angle bracket, 3.0 anti-fall safety rope;

LED Sports Lights-MT

www.ledgm.com

Address: 12F, An Tai He Industrial Building, NO. 2 Fu Rong Seven Street,
Fu Rong Industrial Park, Xin Qiao Village, Sha Jing Town, Bao'an District,
Shenzhen, 518104, China.

Application :

LED Sports Lights are widely used in schools, airports, ports, docks, sports facilities, stadiums, communities, stadium buildings, squares, high-speed high-pole lights, and large-scale outdoor facilities.


Shenzhen GangMing OPTO CO., LTD


www.ledgm.com

Model NO.	GM-TL500W-MT	GM-TL750W-MT	GM-TL1000W-MT	GM-TL1250W-MT	GM-TL1500W-MT
Input Power	500W	750W	1000W	1250W	1500W
Input Voltage(V)	100-277VAC				
Input Frequency	50-60HZ				
Power Factor	≥ 0.95				
Driver Brands	Meanwell / Philips / Inventronics / Osram				
THD	<10%				
Ripple Current	<8%				
Surge Protection	10KV (can add 20KV)				
LED Chip Brands	Philips / Osram (5050)				
Color Temperature	3000-6500K				
CRI	80 / 72 RA				
Beam Angles	8° / 20° / 40° / 60° / 49*21°				
Optional Accessories	customizable / dimmable / intelligent control				
Lamp Body Materials	ADC12 & 1060 aluminum alloy				
Lamp Shell Materials	PC				
IP Grade	IP65				
IK Grade	IK08				
Light Efficiency	150Lm/W ±10%				
Net Weight	12.80kgs	17.20kgs	22.00kgs	26.50kgs	31.00kgs
Gross Weight	14.50kgs	19.50kgs	24.70kgs	30.00kgs	35.00kgs
Lamp Size	395*625*175mm	535*625*175mm	676*625*175mm	816*625*175mm	956*625*175mm
Package Size	48*68*21cm / 1pc	63*68*21cm / 1pc	77*68*21cm / 1pc	91*68*21cm / 1pc	105*68*21cm / 1pc


www.ledgm.com

Dimensions





1250W



1500W